Docusign Envelope ID: A770E717-3E77-8D64-81D6-A84E1698DCD5

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Food Contact Declaration of Compliance

Declaration Identification No:	FCMD-Vogue-002

Declaration of Compliance *(tick all that apply)*

☒	On materials and articles in contact with food Regulation (EC) No 1935/2004
☒	Good Manufacturing Practices (GMP, Commission Regulation (EC) No 2023/2006)
☐	BPA and other hazardous bisphenols in materials and articles that come into contact with food Commission Regulation (EU) 2024/3190
☐	Plastic monomers and additives in Regulation 10/2011
☐	For active/intelligent materials in Regulation 450/2009
☐	For recycled plastic processes in Regulation 282/2008
☐	Fo regenerated cellulose film in The Materials and Articles in Contact with Food (England) Regulations 2012

Identification of Food Contact Material

Product Code	Description	Material Type *(e.g. PP / PET / PE / PS – as applicable)*	Intended Use
JB124	Vogue Chevron Effect Acacia Wood Chopping Board Medium - 35x455x305mm	Acacia Wood	Chopping Board
JB125	Vogue Chevron Effect Acacia Wood Chopping Board Large - 35x560x405mm	Acacia wood	Chopping Board
JM669	Vogue Acacia Wood Butchers Block Chopping Board - 400x300x100mm FSC 100%	Acacia wood	Chopping Board

Composition and BPA / Bisphenol Compliance

In accordance with applicable EU bisphenol requirements:

(1) Bisphenols or bisphenol derivatives intentionally used: None ☐ / Declared below ☐

☒	None
☐	Yes, declared in (2) below

(2) Where Bisphenols or bisphenol derivatives are intentionally used:
(If applicable complete table below):

Substance name	CAS number

The plastic food contact article does not contain intentionally added bisphenol A (BPA) or other restricted bisphenols unless explicitly declared and legally permitted.

Where applicable, compliance with specific migration limits (SMLs) for regulated substances has been verified.

Docusign Envelope ID: A770E717-3E77-8D64-81D6-A84E1698DCD5

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

I, the undersigned, declare that the equipment specified above conforms to the Regulations as stipulated within this Declaration.

Signed by:
Ashley Hooper
AB6DB7656FFB441...

Nisbets Limited
Avonmouth, United Kingdom – [24.04.2025]
Ashley Hooper
Group Head of Product Quality & Compliance

Migration Testing Compliance

Migration testing has been performed or substantiated to demonstrate compliance with EU requirements:

Overall Migration:
Verified in accordance with Regulation (EU) No 10/2011, using appropriate food simulants and time/temperature conditions representative of intended use.

Specific Migration:
Specific migration limits (SMLs) for regulated substances listed in Annex I of Regulation (EU) No 10/2011 have been assessed and confirmed as compliant, where applicable.

Testing Approach:

☒	Laboratory testing by an accredited laboratory
☐	Compliance substantiated using supplier declarations and worst-case calculation
☐	Combination of testing and risk-based assessment

Test Conditions Covered *(insert screenshot of test report to satisfy the following section)*:
Simulants, contact time, and temperature conditions reflect worst-case foreseeable use of the product.

Docusign Envelope ID: A770E717-3E77-8D64-81D6-A84E1698DCD5

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Report

1.OVERALL MIGRATION:

As Per European Commission Regulation (EC) No.1935/2004 and (EU) No. 10/2011, EU 2020/1245- On Plastic Materials and Articles Intended to Come into Contact with Food)

Test Method: With Reference to EN 1186-1:2002 For Selection of Test Condition and Test Method.

Simulant Used	Test Condition	Test Results (mg/dm²)			Requirement (mg/dm²)
		1st Migration	2nd Migration	3rd Migration	
10% Ethanol	70°C for 2 HRS	< 5.0	< 5.0	< 5.0	≤10
3% Acetic Acid	70°C for 2 HRS	< 5.0	< 5.0	< 5.0	≤10
95% Ethanol	60°C for 2 HRS	< 5.0	< 5.0	< 5.0	≤10
Iso-Octane	40°C for 30 MIN	< 5.0	< 5.0	< 5.0	≤10

Tested Item:
1.Chopping board

Note:
Result of 3rd migration < SML, and
Result of 1st migration ≥ 2nd migration ≥ 3rd migration after consideration of result uncertainty.
Result of 1st, 2nd and 3rd migration < SML when SML limit is Not Detected (ND)

2. Specific migration of formaldehyde Test:

(AS PER EUROPEAN COMMISSION REGULATION (EC) no.1935/2004 and (EU) no. 10/2011, EU 2020/1245- ON PLASTIC MATERIALS AND ARTICLES INTENDED TO COME INTO CONTACT WITH FOOD)

Test Method: With Reference to EN 13130-1

Simulant Used	Test Condition	Test Results (mg/kg) (3rd Migration) (1)	Max. Limit (mg/kg)
3% Acetic acid	70°C for 2 Hrs.	< 5.0	15

Tested Item:
1. Chopping board

3. PENTACHLOROPHENOL (PCP) TEST:

Method: Koh Extraction Followed by 64 LFGB -82-02-8.

Tested Component	Test Result (ppm)	Requirement (ppm)
Submitted Sample	**COMPLIES** Chopping board: <0.05 ppm	5 ppm

Detection Limit: 0.05 ppm

Docusign Envelope ID: A770E717-3E77-8D64-81D6-A84E1698DCD5

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

4.ODOUR TEST & SENSORY TEST:
Method: LFGB SECTION 31 /DIN- 10955
ODOUR TEST:
Simulant Used: Cheese
Test Conditions: 22°C for 6 HRS
SENSORY TEST
Simulant Used: Cheese
Test Conditions: 22°C for 6 HRS

Test Item	Test Result	Limit
Odour	Grade: 0	Grade: ≤2.5
Sensory	Grade: 0	Grade: ≤2.5

Tested Item: Chopping board

ODOUR GRADE LIST:

0= NO PERCEPTIBLE OFF ODOUR
1= OFF ODOUR JUST PERCEPTIBLE
2= SLIGHT OFF ODOUR
3= DISTINCT OFF ODOUR
4= STRONG OFF ODOUR.

SENSORY GRADE LIST:

0= NO PERCEPTIBLE OFF IN TASTE
1= JUST PERCEPTIBLE DIFFERENCE IN TESTE (STILL DIFFICULT TO DEFINE)
2= WEAK DIFFERENCE IN TASTE
3= MARKED DIFFERENCE IN TASTE
4= STRONG DIFFERENCE IN TASTE

5.POLYCHLORINATED BIPHENYLS (PCB)
French DGCCRF Information Notice No.2012-93

TESTED SAMPLE	RESULTS	REQUIREMENT
Submitted Sample	Chopping board: ND	2 mg/kg

METHOD DETECTION LIMIT: 0.5 PPM

Docusign Envelope ID: A770E717-3E77-8D64-81D6-A84E1698DCD5

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

6.SPECIFIC MIGRATION OF HEAVY METAL (19 ELEMENTS):

As Per European Commission Regulation (EC) No.1935/2004 and (EU) No.10/2011, EU 2020/1245- On Plastic Materials and Articles Intended to Come into Contact with Food.

Method: With Reference to 13130-1:2004, Analysis Was Performed by ICP-MS/OES.
Simulant Used: 3% Acetic Acid
Test Condition: 70°C for 2 Hrs.

Test Parameter	Test Result (mg/kg)			Requirement (mg/kg)
	1ST Migration	2ND Migration	3RD Migration	
Barium (Ba)	<0.1	<0.1	<0.1	1.0 (max)
Aluminum (Al)	<0.1	<0.1	<0.1	1.0 (max)
Cobalt (Co)	<0.03	<0.03	<0.03	0.05 (max)
Nickel (Ni)	<0.01	<0.01	<0.01	0.02 (max)
Copper (Cu)	<1	<1	<1	5.0 (max)
Iron (Fe)	<5	<5	<5	48.0 (max)
Zinc (Zn)	<1.0	<1.0	<1.0	5.0 (max)
Manganese (Mn)	<0.1	<0.1	<0.1	0.6 (max)
Lithium (Li)	<0.1	<0.1	<0.1	0.6 (max)
Chromium (Cr)	<0.01	<0.01	<0.01	0.01 (max)
Antimony (Sb)	<0.01	<0.01	<0.01	0.04 (max)
Arsenic (As)	<0.010	<0.010	<0.010	Not Detected
Cadmium (Cd)	<0.002	<0.002	<0.002	Not Detected
Lead (Pb)	<0.01	<0.01	<0.01	Not Detected
Mercury (Hg)	<0.01	<0.01	<0.01	Not Detected
Europium (Eu)	<0.01	<0.01	<0.01	0.05 (Sum) (max)
Gadolinium (Gd)	<0.01	<0.01	<0.01	
Lanthanum (La)	<0.01	<0.01	<0.01	
Terbium (Tb)	<0.01	<0.01	<0.01	

Tested Item:
1.Chopping board

Note:
Result of 3rd migration < SML, and
Result of 1st migration ≥ 2nd migration ≥ 3rd migration after consideration of result uncertainty.
Result of 1st, 2nd and 3rd migration < SML when SML limit is Not Detected (ND)