Docusign Envelope ID: 9687AEA2-D798-8751-820F-EF5454B50C8F

Fiesta Compostable/Recyclable, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@fiestafoodtogo.com

Food Contact Declaration of Compliance

Declaration Identification No:	FCMD-Fiesta-004

Declaration of Compliance *(tick all that apply)*

☒	On materials and articles in contact with food Regulation (EC) No 1935/2004
☒	Good Manufacturing Practices (GMP, Commission Regulation (EC) No 2023/2006)
☐	BPA and other hazardous bisphenols in materials and articles that come into contact with food Commission Regulation (EU) 2024/3190
☐	Plastic monomers and additives in Regulation 10/2011
☐	For active/intelligent materials in Regulation 450/2009
☐	For recycled plastic processes in Regulation 282/2008
☐	Fo regenerated cellulose film in The Materials and Articles in Contact with Food (England) Regulations 2012

Identification of Food Contact Material

Product Code	Description	Material Type *(e.g. PP / PET / PE / PS – as applicable)*	Intended Use
CU980	Fiesta Compostable Hot Cup Single Wall Kraft 8oz (box 1000)	Paperboard	For serving warm or hot beverages
CU981	Fiesta Compostable Hot Cup Single Wall Kraft 8oz (sleeve 50)	Paperboard	For serving warm or hot beverages
CU982	Fiesta Compostable Hot Cup Single Wall Kraft 12oz (box 1000)	Paperboard	For serving warm or hot beverages
CU983	Fiesta Compostable Hot Cup Single Wall Kraft 12oz (sleeve 50)	Paperboard	For serving warm or hot beverages
CZ875	Fiesta Compostable Hot Cup Single Wall Kraft 4oz (box 1000)	Paperboard	For serving warm or hot beverages
CZ876	Fiesta Compostable Hot Cup Single Wall Kraft 4oz (sleeve 50)	Paperboard	For serving warm or hot beverages

Composition and BPA / Bisphenol Compliance

In accordance with applicable EU bisphenol requirements:

(1) Bisphenols or bisphenol derivatives intentionally used: None ☐ / Declared below ☐

☒	None
☐	Yes, declared in (2) below

(2) Where Bisphenols or bisphenol derivatives are intentionally used:
(If applicable complete table below):

Substance name	CAS number

Docusign Envelope ID: 9687AEA2-D798-8751-820F-EF5454B50C8F

Fiesta Compostable/Recyclable, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@fiestafoodtogo.com

The plastic food contact article does not contain intentionally added bisphenol A (BPA) or other restricted bisphenols unless explicitly declared and legally permitted.

Where applicable, compliance with specific migration limits (SMLs) for regulated substances has been verified.

I, the undersigned, declare that the equipment specified above conforms to the Regulations as stipulated within this Declaration.

Signed by:
Ashley Hooper
AB6DB7656FFB441...
Nisbets Limited
Avonmouth, United Kingdom – [26.03.2026]
Ashley Hooper
Group Head of Product Quality & Compliance

Migration Testing Compliance

Migration testing has been performed or substantiated to demonstrate compliance with EU requirements:

Overall Migration:
Verified in accordance with Regulation (EU) No 10/2011, using appropriate food simulants and time/temperature conditions representative of intended use.

Specific Migration:
Specific migration limits (SMLs) for regulated substances listed in Annex I of Regulation (EU) No 10/2011 have been assessed and confirmed as compliant, where applicable.

Testing Approach:

☒	Laboratory testing by an accredited laboratory
☐	Compliance substantiated using supplier declarations and worst-case calculation
☐	Combination of testing and risk-based assessment

Test Conditions Covered *(insert screenshot of test report to satisfy the following section)*:
Simulants, contact time, and temperature conditions reflect worst-case foreseeable use of the product.

Test Report

Docusign Envelope ID: 9687AEA2-D798-8751-820F-EF5454B50C8F

Fiesta Compostable/Recyclable, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@fiestafoodtogo.com

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	A3	TAO26-0023392-0001.C003	white paper cup with colorless transparent plastic and green printing	PLA+PAPER
SN2	A4	TAO26-0023392-0001.C004	white solid grains	PLA

Remarks:

(1) mg/dm^2 = milligram per square decimeter
$mg/inch^2$ = milligram per square inches
$\mu g/cm^2$ = microgram per square centimeter
mg/L = milligram per litre
mg/kg = milligram per kilogram
(2) ℃ = degree Celsius
℉ = degree Fahrenheit
(3) < = less than
(4) RL = Reporting Limit
(5) ND = Not Detected (< RL).

The ratio of surface area to volume

Sample No.	Overall Migration	Specific Migration
A3	6.4 dm^2/kg	6.4 dm^2/kg

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Sensorial examination odour and taste test

Test Method: With reference to DIN 10955: 2024.
No. of panelist: 6

Test Media	Test Condition
	A3
Distilled water	70 ºC, 2 hrs

Docusign Envelope ID: 9687AEA2-D798-8751-820F-EF5454B50C8F

Fiesta Compostable/Recyclable, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@fiestafoodtogo.com

Test Item(s)	Limit	Unit(s)	A3
Area/Volume	-	dm^2/kg	6.4
Sensorial examination odour	2.5	-	0
Sensorial examination taste	2.5	-	0
Comment			**Pass**

Notes:
Intensity scale (rounded at 0.5):

0 – no perceptible difference
1 – just perceptible difference
2 – slight difference
3 – marked difference
4 – strong difference

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Polynuclear aromatic hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A3
Benzo(a)pyrene(BaP)	50-32-8	0.2	mg/kg	0.2	ND
Benzo(e)pyrene(BeP)	192-97-2	0.2	mg/kg	0.2	ND
Benzo(a)anthracene(BaA)	56-55-3	0.2	mg/kg	0.2	ND
Benzo(b)fluoranthene(BbF)	205-99-2	0.2	mg/kg	0.2	ND
Benzo(j)fluoranthene(BjF)	205-82-3	0.2	mg/kg	0.2	ND
Benzo(k)fluoranthene(BkF)	207-08-9	0.2	mg/kg	0.2	ND
Chrysene(CHR)	218-01-9	0.2	mg/kg	0.2	ND
Dibenzo(a,h)anthracene(DBA)	53-70-3	0.2	mg/kg	0.2	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	0.2	mg/kg	0.2	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	0.2	mg/kg	0.2	ND
Phenanthrene(PHE)	85-01-8	0.2	mg/kg	0.2	ND
Pyrene(PYR)	129-00-0	0.2	mg/kg	0.2	ND
Anthracene(ANT)	120-12-7	0.2	mg/kg	0.2	ND
Fluoranthene(FLT)	206-44-0	0.2	mg/kg	0.2	ND
Naphthalene(NAP)	91-20-3	0.2	mg/kg	0.2	ND
Acenaphthylene(ANY)	208-96-8	0.2	mg/kg	0.2	ND
Acenaphthene(ANA)	83-32-9	0.2	mg/kg	0.2	ND
Fluorene(FLU)	86-73-7	0.2	mg/kg	0.2	ND
Comment					**Pass**

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation and BfR recommendation - Overall Migration

Docusign Envelope ID: 9687AEA2-D798-8751-820F-EF5454B50C8F

Fiesta Compostable/Recyclable, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@fiestafoodtogo.com

Test Method: With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods; EN 1186-3:2022 Test methods for overall migration in evaporable simulants;

	Test Condition			
	10% Ethanol(V/V)	3% Acetic acid (W/V)	95% Ethanol	Isooctane
A3	70 °C, 2 hrs	70 °C, 2 hrs	60 °C, 2 hrs	40 °C, 0.5 hr

Simulant used	Limit	Unit(s)	RL	A3 (1st)	Comment
10% Ethanol(V/V)	10	mg/dm²	3.0	ND	Pass
3% Acetic acid (W/V)	10	mg/dm²	3.0	ND	Pass
95% Ethanol	10	mg/dm²	3.0	ND	Pass
Isooctane	10	mg/dm²	3.0	ND	Pass

Notes:
(1) Test condition & simulant were specified by client.
(2) For single use articles, the compliance is based on the first migration result with measurement uncertainty according to (EU) 2025/351.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation and BfR recommendation - Specific migration of heavy metals

Test Method: With reference to EN 13130-1:2004, analysis was performed by ICP-OES/ICP-MS.

Simulant	Test Condition
	A3
3% Acetic acid (W/V)	70 °C, 2 hrs

Test Item(s)	Limit	Unit(s)	RL	A3
3% Acetic acid (W/V)				
Migration times				First
Arsenic(As)	ND	mg/kg	0.01	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND
Chromium(Cr)	ND	mg/kg	0.01	ND
Mercury(Hg)	ND	mg/kg	0.01	ND
Lead(Pb)	ND	mg/kg	0.01	ND
Aluminium(Al)	1	mg/kg	0.2	ND
Barium(Ba)	1	mg/kg	0.2	ND
Cobalt(Co)	0.05	mg/kg	0.01	ND
Copper(Cu)	5	mg/kg	1.0	ND
Iron(Fe)	48	mg/kg	9.6	ND
Lithium(Li)	0.6	mg/kg	0.12	ND
Manganese(Mn)	0.6	mg/kg	0.12	ND

Docusign Envelope ID: 9687AEA2-D798-8751-820F-EF5454B50C8F

Fiesta Compostable/Recyclable, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@fiestafoodtogo.com

Test Item(s)	Limit	Unit(s)	RL	A3
Zinc(Zn)	5	mg/kg	1.0	ND
Nickel (Ni)	0.02	mg/kg	0.01	ND
Antimony(Sb)	0.04	mg/kg	0.01	ND
Europium(Eu)	-	mg/kg	0.01	ND
Gadolinium(Gd)	-	mg/kg	0.01	ND
Lanthanum(La)	-	mg/kg	0.01	ND
Terbium(Tb)	-	mg/kg	0.01	ND
Europium (Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	0.05	mg/kg	-	ND
Comment				**Pass**

Notes:
(1) Test condition & simulant were specified by client.
(2) For single use articles, the compliance is based on the first migration result with measurement uncertainty according to (EU) 2025/351. For substances which limit is "Not Detected", the non-compliance is based on the first migration result if it is detected without the inclusion of measurement uncertainty.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation and BfR recommendation - Specific migration of primary aromatic amine (individual)

Test Method: With reference to EN 13130-1:2004, analysis was performed by LC-MS/MS.

Simulant	Test Condition
	A3
3% Acetic acid (W/V)	70 °C, 2 hrs

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A3
3% Acetic acid (W/V)					
Migration times					First
2,4,5-Trimethylaniline	137-17-7	ND	mg/kg	0.002	ND
2,4-Toluenediamine (2,4-TDA)	95-80-7	ND	mg/kg	0.002	ND
2-Methoxy-5-methylaniline	120-71-8	ND	mg/kg	0.002	ND
3,3'-Dimethylbenzidine	119-93-7	ND	mg/kg	0.002	ND
4,4'-Diaminodiphenyl ether	101-80-4	ND	mg/kg	0.002	ND
4,4'-Methylenedianiline	101-77-9	ND	mg/kg	0.002	ND
4,4'-Methylenedi-o-toluidine	838-88-0	ND	mg/kg	0.002	ND
4-Aminobiphenyl	92-67-1	ND	mg/kg	0.002	ND
4-Chloroaniline	106-47-8	ND	mg/kg	0.002	ND
4-Chloro-o-toluidine	95-69-2	ND	mg/kg	0.002	ND
4-Methoxy-m-phenylenediamine	615-05-4	ND	mg/kg	0.002	ND
Benzidine	92-87-5	ND	mg/kg	0.002	ND
o-Anisidine	90-04-0	ND	mg/kg	0.002	ND
o-Toluidine	95-53-4	ND	mg/kg	0.002	ND
2-Naphthylamine	91-59-8	ND	mg/kg	0.002	ND
o-Aminoazotoluene	97-56-3	ND	mg/kg	0.002	ND

Docusign Envelope ID: 9687AEA2-D798-8751-820F-EF5454B50C8F

Fiesta Compostable/Recyclable, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@fiestafoodtogo.com

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A3
3,3'-Dichlorobenzidine	91-94-1	ND	mg/kg	0.002	ND
3,3'-Dimethoxybenzidine	119-90-4	ND	mg/kg	0.002	ND
4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	mg/kg	0.002	ND
4,4'-Thiodianiline	139-65-1	ND	mg/kg	0.002	ND
4-Amino azobenzene	60-09-3	ND	mg/kg	0.002	ND
1,3-Phenylenediamine	108-45-2	ND	mg/kg	0.002	ND
2-Amino-4-nitrotoluene	99-55-8	ND	mg/kg	0.002	ND
Primary aromatic amine (other)	-	0.01	mg/kg	-	ND
1,3-Diiminoisoindoline	3468-11-9	-	mg/kg	0.010	ND
3-Anisidine	536-90-3	-	mg/kg	0.002	ND
2-Amino-1-naphthalenesulfonic acid	81-16-3	-	mg/kg	0.005	ND
2-Ethoxyaniline	94-70-2	-	mg/kg	0.005	ND
5-Chloro-2-methoxylaniline	95-03-4	-	mg/kg	0.005	ND
2-Chloraniline	95-51-2	-	mg/kg	0.010	ND
4-Toluidine	106-49-0	-	mg/kg	0.002	ND
1,4-Phenylenediamine	106-50-3	-	mg/kg	0.002	ND
3-Chloroaniline	108-42-9	-	mg/kg	0.010	ND
3-Toluidine	108-44-1	-	mg/kg	0.002	ND
3-Amino-4-methoxybenzanilide	120-35-4	-	mg/kg	0.002	ND
2-Chloro-4-nitroaniline	121-87-9	-	mg/kg	0.005	ND
4-Chlor-3-methoxyaniline	13726-14-2	-	mg/kg	0.005	ND
4-Ethoxyaniline	156-43-4	-	mg/kg	0.002	ND
3-Amino-4-methylbenzamide	19406-86-1	-	mg/kg	0.002	ND
1,5-Diaminonaphthalene	2243-62-1	-	mg/kg	0.002	ND
4-Aminobenzamide	2835-68-9	-	mg/kg	0.005	ND
Aniline	62-53-3	-	mg/kg	0.002	ND
4-Chlor-2,5-dimethoxyaniline	6358-64-1	-	mg/kg	0.005	ND
2,4,5-Trichloroaniline	636-30-6	-	mg/kg	0.010	ND
5-Amino-6-methylbenzimidazolone	67014-36-2	-	mg/kg	0.005	ND
2,6-Diaminotoluene	823-40-5	-	mg/kg	0.002	ND
2,6-Dimethylaniline (2,6-DMA)	87-62-7	-	mg/kg	0.002	ND
4-Aminotoluene-3-sulfonic acid	88-44-8	-	mg/kg	0.005	ND
1,2-Phenylendiamine	95-54-5	-	mg/kg	0.002	ND
2,4-Dimethylaniline (2,4-DMA)	95-68-1	-	mg/kg	0.002	ND
5-Chloro-2-methylaniline	95-79-4	-	mg/kg	0.005	ND
2,5-Dichloroaniline	95-82-9	-	mg/kg	0.010	ND
2,4-Dinitroaniline	97-02-9	-	mg/kg	0.005	ND
2-Methoxy-4-nitroaniline	97-52-9	-	mg/kg	0.005	ND
p-Anisidine	104-94-9	-	mg/kg	0.002	ND
Dimethyl aminoterephthalate	5372-81-6	-	mg/kg	0.002	ND
3,4-Dichloroaniline	95-76-1	-	mg/kg	0.002	ND
1-Naphthylamine	134-32-7	-	mg/kg	0.002	ND
2-Aminobiphenyl	90-41-5	-	mg/kg	0.002	ND
Butyl anthranilate	7756-96-9	-	mg/kg	0.002	ND
2,4'-Diaminodiphenylmethane	1208-52-2	-	mg/kg	0.002	ND
2-Amino-5-methylbenzoic acid	2941-78-8	-	mg/kg	0.002	ND
Comment					**Pass**

Notes:

Docusign Envelope ID: 9687AEA2-D798-8751-820F-EF5454B50C8F

Fiesta Compostable/Recyclable, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@fiestafoodtogo.com

(1) Test condition & simulant were specified by client.
(2) For single use articles, the compliance is based on the first migration result with measurement uncertainty according to (EU) 2025/351. For substances which limit is "Not Detected", the non-compliance is based on the first migration result if it is detected without the inclusion of measurement uncertainty.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and Commission Regulation (EU) 2024/3190 - Bisphenols and bisphenol derivatives

Test Method: With reference to SGS in house method, analysis was performed by LC-MS/MS.

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A4
Bisphenol A (BPA)	80-05-7	ND	µg/kg	1	ND
Bisphenol F (BPF)	620-92-8	ND	µg/kg	1	ND
Bisphenol S (BPS)	80-09-1	ND	µg/kg	1	ND
4,4'-Isobutylethylidenediphenol	6807-17-6	ND	µg/kg	1	ND
Phenolphthalein	77-09-8	ND	µg/kg	1	ND
Bisphenol AF (BPAF)	1478-61-1	ND	µg/kg	1	ND
Tetrabromobisphenol A (TBBPA)	79-94-7	ND	µg/kg	1	ND
Comment					**Pass**

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.