Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Food Contact Declaration of Compliance

Declaration Identification No:	FCMD-Vogue-003

Declaration of Compliance *(tick all that apply)*

☒	On materials and articles in contact with food Regulation (EC) No 1935/2004
☒	Good Manufacturing Practices (GMP, Commission Regulation (EC) No 2023/2006)
☐	BPA and other hazardous bisphenols in materials and articles that come into contact with food Commission Regulation (EU) 2024/3190
☒	Plastic monomers and additives in Regulation 10/2011
☐	For active/intelligent materials in Regulation 450/2009
☐	For recycled plastic processes in Regulation 282/2008
☐	Fo regenerated cellulose film in The Materials and Articles in Contact with Food (England) Regulations 2012

Identification of Food Contact Material

Product Code	Description	Material Type *(e.g. PP / PET / PE / PS – as applicable)*	Intended Use
DE121	Vogue Digital White Add & Weigh Scale - 5Kg /11lbs Grad. 1g/0.1oz	ABS (Acrylonitrile Butadiene Styrene)	Weighing
F172	Vogue Kitchen Scale Bowl Top 5Kg/11lbs - Grad. 20g/1oz	ABS (Acrylonitrile Butadiene Styrene)	Weighing
F174	Vogue Kitchen Scale Bowl Top 10kg/22lbs - Grad. 50g/1oz	ABS (Acrylonitrile Butadiene Styrene)	Weighing
F175	Vogue Kitchen Scale Flat Top 20kg/44lbs - Grad. 50g/2oz	ABS (Acrylonitrile Butadiene Styrene)	Weighing
F182	Vogue Precision Kitchen Scale - 0.5Kg/1.1lb - Grad. 2g /1/8oz	ABS (Acrylonitrile Butadiene Styrene)	Weighing
HZ323	Vogue Platform Scale - 15kg	ABS (Acrylonitrile Butadiene Styrene)	Weighing
HZ324	Vogue Platform Scale - 30kg	ABS (Acrylonitrile Butadiene Styrene)	Weighing

Composition and BPA / Bisphenol Compliance

In accordance with applicable EU bisphenol requirements:

(1) Bisphenols or bisphenol derivatives intentionally used: None ☐ / Declared below ☐

☒	None
☐	Yes, declared in (2) below

(2) Where Bisphenols or bisphenol derivatives are intentionally used:
(If applicable complete table below):

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Substance name	CAS number

The plastic food contact article does not contain intentionally added bisphenol A (BPA) or other restricted bisphenols unless explicitly declared and legally permitted.

Where applicable, compliance with specific migration limits (SMLs) for regulated substances has been verified.

I, the undersigned, declare that the equipment specified above conforms to the Regulations as stipulated within this Declaration.

Signed by:
Ashley Hooper
AB6DB7656FEB441...

Nisbets Limited
Avonmouth, United Kingdom – [12.05.2025]
Ashley Hooper
Group Head of Product Quality & Compliance

Migration Testing Compliance

Migration testing has been performed or substantiated to demonstrate compliance with EU requirements:

Overall Migration:
Verified in accordance with Regulation (EU) No 10/2011, using appropriate food simulants and time/temperature conditions representative of intended use.

Specific Migration:
Specific migration limits (SMLs) for regulated substances listed in Annex I of Regulation (EU) No 10/2011 have been assessed and confirmed as compliant, where applicable.

Testing Approach:

☒	Laboratory testing by an accredited laboratory
☐	Compliance substantiated using supplier declarations and worst-case calculation
☐	Combination of testing and risk-based assessment

Test Conditions Covered *(insert screenshot of test report to satisfy the following section)*:
Simulants, contact time, and temperature conditions reflect worst-case foreseeable use of the product.

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Report:

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	A1	CAN25-0086680-0001.C001	White plastic	ABS
SN2	A2	CAN25-0086680-0001.C002	Grey plastic	ABS

Remarks:

(1) mg/dm² = milligram per square decimeter
mg/inch² = milligram per square inches
µg/cm² = microgram per square centimeter
mg/L = milligram per litre
mg/kg = milligram per kilogram

(2) ℃ = degree Celsius
℉ = degree Fahrenheit

(3) <= less than

(4) RL = Reporting Limit

(5) ND = Not Detected (< RL).

The ratio of surface area to volume

SGS Sample ID	Overall Migration	Specific Migration
CAN25-0086680-0001.C001	10.0 dm²/kg	6.0 dm²/kg
CAN25-0086680-0001.C002	10.0 dm²/kg	6.0 dm²/kg

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Overall migration

Test Method: With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods; EN 1186-3:2022 Test methods for overall migration in evaporable simulants.

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

	Test Condition			
	10% Ethanol(V/V)	3% Acetic acid (W/V)	95% Ethanol	Isooctane
A1	40 °C, 0.5 hr	40 °C, 0.5 hr	40 °C, 0.5 hr	20 °C, 0.5 hr
A2	40 °C, 0.5 hr	40 °C, 0.5 hr	40 °C, 0.5 hr	20 °C, 0.5 hr

Simulant used	Limit	Unit(s)	RL	A1 (1st)	A1 (2nd)	A1 (3rd)	Stability	Comment
10% Ethanol(V/V)	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass
3% Acetic acid (W/V)	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass
95% Ethanol	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass
Isooctane	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass

Simulant used	Limit	Unit(s)	RL	A2 (1st)	A2 (2nd)	A2 (3rd)	Stability	Comment
10% Ethanol(V/V)	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass
3% Acetic acid (W/V)	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass
95% Ethanol	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass
Isooctane	10	mg/dm²	3.0	ND	ND	ND	Compliant	Pass

Notes:
(1) Analytical tolerance of evaporable simulants is 2 mg/dm² or 12 mg/kg, analytical tolerance of olive oil simulant is 3 mg/dm² or 20 mg/kg.
(2) Test condition & simulant were specified by client.
(3) A material or article with overall migration result that exceeds the overall migration limit by an amount not exceeding the analytical tolerance, shall be deemed to be in compliance with the overall migration limit.
(4) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific migration of heavy metals

Test Method: With reference to EN 13130-1:2004, analysis was performed by ICP-OES/ICP-MS.

Simulant	Test Condition	
	A1	A2
3% Acetic acid (W/V)	40 °C, 0.5 hr	40 °C, 0.5 hr

Test Item(s)	Limit	Unit(s)	RL	A1		
3% Acetic acid (W/V)						
Migration times				First	Second	Third
Arsenic(As)	ND	mg/kg	0.01	ND	ND	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND	ND	ND
Chromium(Cr)	ND	mg/kg	0.01	ND	ND	ND
Mercury(Hg)	ND	mg/kg	0.01	ND	ND	ND

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Item(s)	Limit	Unit(s)	RL	A1		
Lead(Pb)	ND	mg/kg	0.01	ND	ND	ND
Aluminium(Al)	1	mg/kg	0.1	ND	ND	ND
Barium(Ba)	1	mg/kg	0.25	ND	ND	ND
Cobalt(Co)	0.05	mg/kg	0.01	ND	ND	ND
Copper(Cu)	5	mg/kg	0.25	ND	ND	ND
Iron(Fe)	48	mg/kg	5	ND	ND	ND
Lithium(Li)	0.6	mg/kg	0.1	ND	ND	ND
Manganese(Mn)	0.6	mg/kg	0.1	ND	ND	ND
Zinc(Zn)	5	mg/kg	0.5	ND	ND	ND
Nickel(Ni)	0.02	mg/kg	0.01	ND	ND	ND
Antimony(Sb)	0.04	mg/kg	0.01	ND	ND	ND
Europium(Eu)	-	mg/kg	0.025	ND	ND	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND	ND	ND
Lanthanum(La)	-	mg/kg	0.025	ND	ND	ND
Terbium(Tb)	-	mg/kg	0.025	ND	ND	ND
Europium(Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	0.05	mg/kg	-	ND	ND	ND
Stability	-	-	-	Compliant		
Comment				**Pass**		

Test Item(s)	Limit	Unit(s)	RL	A2		
3% Acetic acid (W/V)						
Migration times				First	Second	Third
Arsenic(As)	ND	mg/kg	0.01	ND	ND	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND	ND	ND
Chromium(Cr)	ND	mg/kg	0.01	ND	ND	ND
Mercury(Hg)	ND	mg/kg	0.01	ND	ND	ND
Lead(Pb)	ND	mg/kg	0.01	ND	ND	ND
Aluminium(Al)	1	mg/kg	0.1	ND	ND	ND
Barium(Ba)	1	mg/kg	0.25	ND	ND	ND
Cobalt(Co)	0.05	mg/kg	0.01	ND	ND	ND
Copper(Cu)	5	mg/kg	0.25	ND	ND	ND
Iron(Fe)	48	mg/kg	5	ND	ND	ND
Lithium(Li)	0.6	mg/kg	0.1	ND	ND	ND
Manganese(Mn)	0.6	mg/kg	0.1	ND	ND	ND
Zinc(Zn)	5	mg/kg	0.5	ND	ND	ND
Nickel(Ni)	0.02	mg/kg	0.01	ND	ND	ND
Antimony(Sb)	0.04	mg/kg	0.01	ND	ND	ND
Europium(Eu)	-	mg/kg	0.025	ND	ND	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND	ND	ND
Lanthanum(La)	-	mg/kg	0.025	ND	ND	ND
Terbium(Tb)	-	mg/kg	0.025	ND	ND	ND
Europium(Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	0.05	mg/kg	-	ND	ND	ND
Stability	-	-	-	Compliant		
Comment				**Pass**		

Notes:

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

(1) Test condition & simulant were specified by client.
(2) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific migration of primary aromatic amine (individual)

Test Method: With reference to EN 13130-1:2004, analysis was performed by LC-MS-MS.

Simulant	Test Condition	
	A1	A2
3% Acetic acid (W/V)	40 °C, 0.5 hr	40 °C, 0.5 hr

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A1		
3% Acetic acid (W/V)							
Migration times					First	Second	Third
2,4,5-Trimethylaniline	137-17-7	ND	mg/kg	0.002	ND	ND	ND
2,4-Toluenediamine(2,4-TDA)	95-80-7	ND	mg/kg	0.002	ND	ND	ND
2-Methoxy-5-methylaniline	120-71-8	ND	mg/kg	0.002	ND	ND	ND
3,3'-Dimethylbenzidine	119-93-7	ND	mg/kg	0.002	ND	ND	ND
4,4'-Diaminodiphenyl ether	101-80-4	ND	mg/kg	0.002	ND	ND	ND
4,4'-Methylenedianiline	101-77-9	ND	mg/kg	0.002	ND	ND	ND
4,4'-Methylenedi-o-toluidine	838-88-0	ND	mg/kg	0.002	ND	ND	ND
4-Aminobiphenyl	92-67-1	ND	mg/kg	0.002	ND	ND	ND
4-Chloroaniline	106-47-8	ND	mg/kg	0.002	ND	ND	ND
4-Chloro-o-toluidine	95-69-2	ND	mg/kg	0.002	ND	ND	ND
4-Methoxy-m-phenylenediamine	615-05-4	ND	mg/kg	0.002	ND	ND	ND
Benzidine	92-87-5	ND	mg/kg	0.002	ND	ND	ND
o-Anisidine	90-04-0	ND	mg/kg	0.002	ND	ND	ND
o-Toluidine	95-53-4	ND	mg/kg	0.002	ND	ND	ND
2-Naphthylamine	91-59-8	ND	mg/kg	0.002	ND	ND	ND

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A1		
o-Aminoazotoluene	97-56-3	ND	mg/kg	0.002	ND	ND	ND
3,3'-Dichlorobenzidine	91-94-1	ND	mg/kg	0.002	ND	ND	ND
3,3'-Dimethoxybenzidine	119-90-4	ND	mg/kg	0.002	ND	ND	ND
4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	mg/kg	0.002	ND	ND	ND
4,4'-Thiodianiline	139-65-1	ND	mg/kg	0.002	ND	ND	ND
4-Amino azobenzene	60-09-3	ND	mg/kg	0.002	ND	ND	ND
1,3-Phenylenediamine	108-45-2	ND	mg/kg	0.002	ND	ND	ND
2-Amino-4-nitrotoluene	99-55-8	ND	mg/kg	0.002	ND	ND	ND
Primary aromatic amine(other)	-	0.01	mg/kg	-	ND	ND	ND
1,3-Diiminoisoindoline	3468-11-9	-	mg/kg	0.010	ND	ND	ND
3-Anisidine	536-90-3	-	mg/kg	0.002	ND	ND	ND
2-Amino-1-naphthalenesulfonic acid	81-16-3	-	mg/kg	0.005	ND	ND	ND
2-Ethoxyaniline	94-70-2	-	mg/kg	0.005	ND	ND	ND
5-Chloro-2-methoxylaniline	95-03-4	-	mg/kg	0.005	ND	ND	ND
2-Chloraniline	95-51-2	-	mg/kg	0.010	ND	ND	ND
4-Toluidine	106-49-0	-	mg/kg	0.002	ND	ND	ND
1,4-Phenylenediamine	106-50-3	-	mg/kg	0.002	ND	ND	ND
3-Chloroaniline	108-42-9	-	mg/kg	0.010	ND	ND	ND
3-Toluidine	108-44-1	-	mg/kg	0.002	ND	ND	ND
3-Amino-4-methoxybenzanilide	120-35-4	-	mg/kg	0.002	ND	ND	ND
2-Chloro-4-nitroaniline	121-87-9	-	mg/kg	0.005	ND	ND	ND
4-Chlor-3-methoxyaniline	13726-14-2	-	mg/kg	0.005	ND	ND	ND
4-Ethoxyaniline	156-43-4	-	mg/kg	0.002	ND	ND	ND
3-Amino-4-methylbenzamide	19406-86-1	-	mg/kg	0.002	ND	ND	ND
1,5-Diaminonaphthalene	2243-62-1	-	mg/kg	0.002	ND	ND	ND

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A1		
4-Aminobenzamide	2835-68-9	-	mg/kg	0.005	ND	ND	ND
Aniline	62-53-3	-	mg/kg	0.002	ND	ND	ND
4-Chlor-2,5-dimethoxyaniline	6358-64-1	-	mg/kg	0.005	ND	ND	ND
2,4,5-Trichloroaniline	636-30-6	-	mg/kg	0.010	ND	ND	ND
5-Amino-6-methylbenzimidazolone	67014-36-2	-	mg/kg	0.005	ND	ND	ND
2,6-Diaminotoluene	823-40-5	-	mg/kg	0.002	ND	ND	ND
2,6-Dimethylaniline(2,6-DMA)	87-62-7	-	mg/kg	0.002	ND	ND	ND
4-Aminotoluene-3-sulfonic acid	88-44-8	-	mg/kg	0.005	ND	ND	ND
1,2-Phenylendiamine	95-54-5	-	mg/kg	0.002	ND	ND	ND
2,4-Dimethylaniline(2,4-DMA)	95-68-1	-	mg/kg	0.002	ND	ND	ND
5-Chloro-2-methylaniline	95-79-4	-	mg/kg	0.005	ND	ND	ND
2,5-Dichloroaniline	95-82-9	-	mg/kg	0.010	ND	ND	ND
2,4-Dinitroaniline	97-02-9	-	mg/kg	0.005	ND	ND	ND
2-Methoxy-4-nitroaniline	97-52-9	-	mg/kg	0.005	ND	ND	ND
p-Anisidine	104-94-9	-	mg/kg	0.002	ND	ND	ND
Dimethyl aminoterephthalate	5372-81-6	-	mg/kg	0.002	ND	ND	ND
3,4-Dichloroaniline	95-76-1	-	mg/kg	0.002	ND	ND	ND
1-Naphthylamine	134-32-7	-	mg/kg	0.002	ND	ND	ND
2-Aminobiphenyl	90-41-5	-	mg/kg	0.002	ND	ND	ND
Butyl anthranilate	7756-96-9	-	mg/kg	0.002	ND	ND	ND
2,4'-Diaminodiphenyl methane	1208-52-2	-	mg/kg	0.002	ND	ND	ND
2-Amino-5-methylbenzoic acid	2941-78-8	-	mg/kg	0.002	ND	ND	ND
Stability	-	-	-	-	Compliant		
Comment					**Pass**		

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A2
3% Acetic acid (W/V)					

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A2		
Migration times					First	Second	Third
2,4,5-Trimethylaniline	137-17-7	ND	mg/kg	0.002	ND	ND	ND
2,4-Toluenediamine(2,4-TDA)	95-80-7	ND	mg/kg	0.002	ND	ND	ND
2-Methoxy-5-methylaniline	120-71-8	ND	mg/kg	0.002	ND	ND	ND
3,3'-Dimethylbenzidine	119-93-7	ND	mg/kg	0.002	ND	ND	ND
4,4'-Diaminodiphenyl ether	101-80-4	ND	mg/kg	0.002	ND	ND	ND
4,4'-Methylenedianiline	101-77-9	ND	mg/kg	0.002	ND	ND	ND
4,4'-Methylenedi-o-toluidine	838-88-0	ND	mg/kg	0.002	ND	ND	ND
4-Aminobiphenyl	92-67-1	ND	mg/kg	0.002	ND	ND	ND
4-Chloroaniline	106-47-8	ND	mg/kg	0.002	ND	ND	ND
4-Chloro-o-toluidine	95-69-2	ND	mg/kg	0.002	ND	ND	ND
4-Methoxy-m-phenylenediamine	615-05-4	ND	mg/kg	0.002	ND	ND	ND
Benzidine	92-87-5	ND	mg/kg	0.002	ND	ND	ND
o-Anisidine	90-04-0	ND	mg/kg	0.002	ND	ND	ND
o-Toluidine	95-53-4	ND	mg/kg	0.002	ND	ND	ND
2-Naphthylamine	91-59-8	ND	mg/kg	0.002	ND	ND	ND
o-Aminoazotoluene	97-56-3	ND	mg/kg	0.002	ND	ND	ND
3,3'-Dichlorobenzidine	91-94-1	ND	mg/kg	0.002	ND	ND	ND
3,3'-Dimethoxybenzidine	119-90-4	ND	mg/kg	0.002	ND	ND	ND
4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	mg/kg	0.002	ND	ND	ND
4,4'-Thiodianiline	139-65-1	ND	mg/kg	0.002	ND	ND	ND
4-Amino azobenzene	60-09-3	ND	mg/kg	0.002	ND	ND	ND
1,3-Phenylenediamine	108-45-2	ND	mg/kg	0.002	ND	ND	ND
2-Amino-4-nitrotoluene	99-55-8	ND	mg/kg	0.002	ND	ND	ND
Primary aromatic amine(other)	-	0.01	mg/kg	-	ND	ND	ND

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A2		
2,4-Dimethylaniline(2,4-DMA)	95-68-1	-	mg/kg	0.002	ND	ND	ND
5-Chloro-2-methylaniline	95-79-4	-	mg/kg	0.005	ND	ND	ND
2,5-Dichloroaniline	95-82-9	-	mg/kg	0.010	ND	ND	ND
2,4-Dinitroaniline	97-02-9	-	mg/kg	0.005	ND	ND	ND
2-Methoxy-4-nitroaniline	97-52-9	-	mg/kg	0.005	ND	ND	ND
p-Anisidine	104-94-9	-	mg/kg	0.002	ND	ND	ND
Dimethyl aminoterephthalate	5372-81-6	-	mg/kg	0.002	ND	ND	ND
3,4-Dichloroaniline	95-76-1	-	mg/kg	0.002	ND	ND	ND
1-Naphthylamine	134-32-7	-	mg/kg	0.002	ND	ND	ND
2-Aminobiphenyl	90-41-5	-	mg/kg	0.002	ND	ND	ND
Butyl anthranilate	7756-96-9	-	mg/kg	0.002	ND	ND	ND
2,4'-Diaminodiphenyl methane	1208-52-2	-	mg/kg	0.002	ND	ND	ND
2-Amino-5-methylbenzoic acid	2941-78-8	-	mg/kg	0.002	ND	ND	ND
Stability	-	-	-	-	Compliant		
Comment					**Pass**		

Notes:
(1) Test condition & simulant were specified by client.
(2) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific Migration of Acrylonitrile

Test Method: With reference to EN 13130-1:2004, analysis was performed by SPME-GC-MS.

Simulant	Test Condition	
	A1	A2
3% Acetic acid (W/V)	40 °C, 0.5 hr	40 °C, 0.5 hr

Test Item(s)	Limit	Unit(s)	RL	A1		
3% Acetic acid (W/V)						
Migration times				First	Second	Third

Docusign Envelope ID: E5800DE9-FBFC-806D-80A1-EEDDBF5A372D

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Item(s)	Limit	Unit(s)	RL	A1		
Specific migration of acrylonitrile	ND	mg/kg	0.01	ND	ND	ND
Comment				**Pass**		

Test Item(s)	Limit	Unit(s)	RL	A2		
3% Acetic acid (W/V)						
Migration times				First	Second	Third
Specific migration of acrylonitrile	ND	mg/kg	0.01	ND	ND	ND
Comment				**Pass**		

Notes:
(1) Test condition & simulant were specified by client.
(2) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and Commission Regulation (EU) No 10/2011 of 14 January 2011 with amendments - 1,3-Butadiene

Test Method: With reference to EN 13130-4:2004, analysis was performed by HS-GC-MS.

Test Item(s)	Limit	Unit(s)	RL	A1	A2
1,3-butadiene	1	mg/kg	0.1	ND	ND
Comment				**Pass**	**Pass**

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments and French Law 2012-1442 of 24 Dec 2012 - Bisphenol A

Test Method: With reference to SGS in house method, analysis was performed by HPLC-MS/LC-MS/MS .

Test Item(s)	CAS No.	Limit	Unit(s)	RL	A1	A2
Bisphenol A	80-05-7	0.1	mg/kg	0.1	ND	ND
Comment					**Pass**	**Pass**

This report updates Sample Photo.
Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.