



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CIF PROFESSIONAL LIQUID WOOD CLEANER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Floor cleaner
Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Unilever UK Ltd. (UPro) Kingston up Thames,
KT1 2BA

E-mail address of person responsible for the SDS:

Product Information
01604 405311

1.4 Emergency telephone

Seek medical advice (show the label or safety data sheet where possible), For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Precautionary Statements : P102 Keep out of reach of children.

Additional Labeling

EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
alkyl alcohol ethoxylate	68439-46-3	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 5 - < 10
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC	55965-84-9	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 0,0002 - < 0,0015



Unilever

SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

no. 220-239-6] (3:1)	Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
----------------------	---

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	: Do not leave the victim unattended.
If inhaled	: If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses.



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

Protect unharmed eye.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



SAFETY DATA SHEET		Revision Date: 13.03.2026
		Print Date: 27.07.2026
		SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER		Version: 1.0
100956988		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. No special requirements under normal use conditions



Unilever

SAFETY DATA SHEET

Revision Date: 13.03.2026

Print Date: 27.07.2026

SDS Number: R1902522

CIF PROFESSIONAL LIQUID WOOD CLEANER

Version: 1.0

100956988

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Advice on common storage : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
2-(2-ethoxyethoxy)ethanol	Consumers	Dermal	Long-term systemic effects	25 mg/kg bw/day
	Workers	Dermal	Long-term systemic effects	50 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	9 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	18,3 mg/kg bw/day
	Workers	Inhalation	Long-term local effects	18 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	37 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	25 mg/kg bw/day
Triethanolamine	Consumers	Oral	Long-term systemic effects	13 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-(2-ethoxyethoxy)ethanol	Fresh water	0,74 mg/l



Unilever

SAFETY DATA SHEET

Revision Date: 13.03.2026

Print Date: 27.07.2026

SDS Number: R1902522

CIF PROFESSIONAL LIQUID WOOD CLEANER

Version: 1.0

100956988

	Sea water	0,074 mg/l
	Intermittent use/release	10 mg/l
	Sewage treatment plant	500 mg/l
	Fresh water sediment	2,74 mg/l
	Sea sediment	0,274 mg/l
	Soil	0,15 mg/l

8.2 Exposure controls

Engineering measures

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Appropriate organisational controls: : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Personal protective equipment

Eye protection (EN ISO 16321) : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321)

Hand protection (EN ISO 374)

Remarks : Wear resistant gloves (consult your safety equipment supplier).

Skin and body protection (EN 14605) : Wear as appropriate:
Safety shoes

Respiratory protection (EN 136, EN 143, EN 14387) : No personal respiratory protective equipment normally required.

Protective measures : No special requirements under normal use conditions

Recommended safety measures for handling the diluted product:



SAFETY DATA SHEET		Revision Date: 13.03.2026
		Print Date: 27.07.2026
		SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER		Version: 1.0
100956988		

Maximum recommended use concentration (% w/w): 2,012 %

Engineering measures

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Appropriate organisational controls: : Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Personal protective equipment

Eye protection (EN ISO 16321) : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321)

Hand protection (EN ISO 374)

Remarks : No special requirements under normal use conditions

Skin and body protection (EN 14605) : Wear as appropriate:
Safety shoes
Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection (EN 136, EN 143, EN 14387) : No personal respiratory protective equipment normally required.

Protective measures : No special requirements under normal use conditions

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Undiluted product:

Appearance : liquid



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER 100956988	Version: 1.0

Color	: amber
Odor	: fruity
Odor Threshold	: No data available
pH	: 8,90 Method: DM-001 pH Value - Standard
Melting point/freezing point	: 0,00 °C
Boiling point/boiling range	: not determined
Flash point	: Not relevant to the classification and hazards of the substance or mixture.
Evaporation rate	: No data available
Flammability	: Not flammable.
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 1,0060 g/cm ³
Solubility(ies)	
Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Decomposition temperature	: No data available



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non Oxidative

9.2 Other information

Particle size : No data available

Particle Size Distribution : No data available

Self-ignition : No data available

Diluted product:

Flash point : Not relevant to the classification and hazards of the substance or mixture.

pH : 9

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : None known under normal use conditions



Unilever

SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER 100956988	Version: 1.0

10.6 Hazardous decomposition products

None known under normal storage and use conditions

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

alkyl alcohol ethoxylate:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 300 - 2.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Weight of evidence

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg
Remarks: Weight of evidence

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute oral toxicity : LD50 (Rat): > 66 mg/kg

Acute inhalation toxicity : LC 50 (Rat): 0,33 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Aerosol

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 141 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Method : Weight of evidence



SAFETY DATA SHEET		Revision Date: 13.03.2026
		Print Date: 27.07.2026
		SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER		Version: 1.0
100956988		

Components:**alkyl alcohol ethoxylate:**

Method : Weight of evidence
 Result : No skin irritation

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Species : Rabbit
 Result : Corrosive to skin

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
 Method : Weight of evidence
 Result : No eye irritation

Remarks : Unlikely to cause eye irritation or injury.

Components:**alkyl alcohol ethoxylate:**

Species : Rabbit
 Method : OECD Test Guideline 437
 Result : Risk of serious damage to eyes.
 Remarks : Weight of evidence

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Species : Rabbit
 Result : Corrosive to eyes

Respiratory or skin sensitization**Skin sensitization**

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.



SAFETY DATA SHEET		Revision Date: 13.03.2026
		Print Date: 27.07.2026
		SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER		Version: 1.0
100956988		

Components:

alkyl alcohol ethoxylate:

Method : Weight of evidence
Result : Does not cause skin sensitization.

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Result : Probability or evidence of high skin sensitization rate in humans

Germ cell mutagenicity

Not classified due to lack of data.

Components:

alkyl alcohol ethoxylate:

Genotoxicity in vitro : Method: OECD Test Guideline 473
Result: In vitro tests did not show mutagenic effects

Germ cell mutagenicity-Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified due to lack of data.

Components:

alkyl alcohol ethoxylate:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Not classified due to lack of data.

Components:

alkyl alcohol ethoxylate:

Effects on fetal development : Species: Rat
Remarks: No test guideline followed
No significant adverse effects were reported

Reproductive toxicity - : No toxicity to reproduction



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

Assessment

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

alkyl alcohol ethoxylate:

NOAEL : 80 mg/kg bw/day
 Application Route : Dermal
 Exposure time : 90 d
 Method : OECD Test Guideline 411

NOAEL : 80 - 400 mg/kg bw/day
 Application Route : Oral
 Method : OECD Test Guideline 408

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

Further information

Product:

Remarks : No data available



Unilever

SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

SECTION 12: Ecological information

12.1 Toxicity

Components:

alkyl alcohol ethoxylate:

Toxicity to fish : LC50 (Fish): 5 - 7 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Tested according to Directive 92/69/EEC.

Toxicity to daphnia and other : EC50 (Daphnia): 1,3 - 1,86 mg/l
aquatic invertebrates
Exposure time: 48 h
Method: Tested according to Directive 92/69/EEC.

Toxicity to algae/aquatic : ErC50 : 1,4 - 47 mg/l
plants
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): > 140 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic : LC10: 8.983 mg/l
toxicity)
Exposure time: 21 d

Toxicity to daphnia and other : EC10: 2,579 mg/l
aquatic invertebrates
Exposure time: 21 d
(Chronic toxicity) Species: Daphnia sp. (Water flea)

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,28 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,16 mg/l
aquatic invertebrates
Exposure time: 48 h



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,027 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (activated sludge): 4,5 mg/l
Test Type: Respiration inhibition

M-Factor (Chronic aquatic toxicity) : 100

12.2 Persistence and degradability

Product Biodegradability : This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Components:

alkyl alcohol ethoxylate:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: 76 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Biodegradability : Biodegradation: 30 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

alkyl alcohol ethoxylate:

Bioaccumulation : Bioconcentration factor (BCF): 14
Remarks: The substance has high potential for bioaccumulation.

Partition coefficient: n-octanol/water : log Pow: 2,42



Unilever

SAFETY DATA SHEET

Revision Date: 13.03.2026

Print Date: 27.07.2026

SDS Number: R1902522

CIF PROFESSIONAL LIQUID WOOD CLEANER

Version: 1.0

100956988

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Partition coefficient: n-octanol/water : log Pow: <= 0,71
Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

The product should not be allowed to enter drains, water



SAFETY DATA SHEET		Revision Date: 13.03.2026
		Print Date: 27.07.2026
		SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER		Version: 1.0
100956988		

courses or the soil.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste
handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR: Not dangerous goods

ADN: Not dangerous goods

RID: Not dangerous goods

IMDG-Code: Not dangerous goods

IATA-DGR: Not dangerous goods

14.2 UN proper shipping name

ADR: Not dangerous goods

ADN: Not dangerous goods

RID: Not dangerous goods

IMDG-Code: Not dangerous goods

IATA-DGR: Not dangerous goods

14.3 Transport hazard class(es)

ADR: Not dangerous goods

ADN: Not dangerous goods

RID: Not dangerous goods

IMDG-Code: Not dangerous goods

IATA-DGR: Not dangerous goods

14.4 Packing group

ADR: Not dangerous goods

ADN: Not dangerous goods

RID: Not dangerous goods



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

IMDG-Code: Not dangerous goods

IATA-DGR: Not dangerous goods

14.5 Environmental hazards

ADR: Not applicable

ADN: Not applicable

RID: Not applicable

IMDG-Code: Not applicable

IATA-DGR: Not applicable

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

The Control of Explosives Precursors and Poisons : arsenicmercury



SAFETY DATA SHEET		Revision Date: 13.03.2026
		Print Date: 27.07.2026
		SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER		Version: 1.0
100956988		

Regulations (Poisons Act, as amended)

GB Export and import of hazardous chemicals - Prior : Not applicable
Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH) Not applicable

Regulation (EC) No. 648/2004, as amended : 5 % or over but less than 15 %: Non-ionic surfactants
less than 5 %: Anionic surfactants, Soap
Other constituents: Disinfectants, Perfumes
Preservation agents:
DIMETHYLOL GLYCOL
Methylchloroisothiazolinone, Methylisothiazolinone
Allergens:
ALPHA-TERPINEOL
AMYL CINNAMAL
D-LIMONENE
EUGENIA CARYOPHYLLUS LEAF OIL, EUGENIA
CARYOPHYLLUS OIL
CITRUS AURANTIUM DULCIS FLOWER WATER
TERPINOLENE

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

Regulation (EC) No. 648/2004 - Detergents regulation

Ingredients which must be listed on the label

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: All components are listed on the inventory, regulatory obligations/restrictions apply
DSL	: This product contains one or more components that are not on the Canadian DSL and have annual quantity limits.
ENCS	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Further information

Revision Date: 13.03.2026

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitization



SAFETY DATA SHEET	Revision Date: 13.03.2026
	Print Date: 27.07.2026
	SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER	Version: 1.0
100956988	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.



SAFETY DATA SHEET		Revision Date: 13.03.2026
		Print Date: 27.07.2026
		SDS Number: R1902522
CIF PROFESSIONAL LIQUID WOOD CLEANER		Version: 1.0
100956988		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

GB / EN