LINCAT SEAL COUNTER-TOP HOT AIR DISPLAY CABINET - W 500 MM - 2.2 KW

MODEL: HAD50

AIA FILE NUMBER:

ITEM NUMBER:



The perfect way to display hot food and generate grab & go sales. The convected hot air system ensures food is not only safe but also kept in prime condition, at just the right temperature.

SEAL

PRODUCT OPTIONS AND ACCESSORIES

- PSH50 Upright Pizza Shelf Insert for Lincat Seal HAD50

PRODUCT FEATURES

- Maintains the ideal food folding temperature of 60°C-80°C, ideal for all sorts of pre-cooked hot foods, including pizzas, pies and sausage rolls
- Compact 500 mm wide design for where counter space is at a premium
- Food is displayed on four 'easy to remove' tilted shelves within the two compartments
- Hot air curtain at the front minimises heat loss
- Electronic temperature control to within +/-1°C
- Secondary safety limit thermostat
- Stainless steel point of sale holders
- Lighting providing a bright interior with user replaceable light bulb
- Easy clean stainless steel interior and exterior
- Toughened glass sides and front deflectors

Whisby Road, Lincoln, LN6 3QZ, UK
www.lincat.co.uk | p: +44 1522 875500

LINCAT SEAL COUNTER-TOP HOT AIR DISPLAY CABINET - W 500 MM - 2.2 KW

MODEL: HAD50

WEIGHTS & DIMENSIONS

Width	500 mil
Depth	585 mil
Height	845 mil
Weight	48.6 kg

SHIPPING DETAILS

Ship Width	62 cm
Ship Depth	72 cm
Ship Height	121 cm
Ship Weight	53.46 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	No
Drain Line Required	No

PRODUCT CERTIFICATIONS

Made in UK UKCA IPX3

ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	9.6 A
Electrical Volts	230V
Electrical Total Wattage	2200 W
Electrical Kilowatts	2.2 kW
Electrical Phase	1-Phase
Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	No
Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Control Type	Digital Touch Pad
Display Case Front Design Style	Open Front
Display Case Service Type	Back of House Service, Customer Self Service, Front of House Service
Display Case Type	Heated
Heated Base	Yes
Lighted	Yes
Number of Shelves	2
Rack Type	Static
Shelf Depth	350 mm
Shelf Width	235 mm
Temperature Maximum	80 °C
Temperature Minimum	60 °C
Type of Lighting	Halogen

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024


LINCAT SEAL COUNTER-TOP HOT AIR DISPLAY CABINET - W 500 MM - 2.2 KW


MODEL: HAD50


BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024