10-11-2026

# K 509502-1 Clear APET

**Item no. 5095005038**



## General

| | |
|---|---|
| Article no. | K 509502-1 |
| Shape | Circular |
| Compartments | - |
| Cooking | Not ovenable |
| EAN | 5703969112719 |

## Embossing

| | |
|---|---|
| Glass and fork | No |
| Recycling arrows | No |
| Cavity no. | Yes |
| Grüne Punkt | No |
| Depth indicated | No |
| Faerch article number | Yes |
| Customer logo | No |

## Technical information

| | |
|---|---|
| Diameter | 100,0 mm |
| Tolerance diameter | +/- 0,7 mm |
| Tolerance centre | +/- 0,7 mm |
| Depth | 13,0 mm |
| Tolerance depth | +/- 0,6 mm |
| Denest height | 5,2 mm |
| Volume | - |
| Sheet thickness (µ) | 350 µm |
| Weight in grams per item | 3,64 g |
| Tolerance weight | +/- 10% |

## Material

| | |
|---|---|
| Material recipe no. | 7903 |
| Material | APET |
| Colour | Clear |
| NIR detectable | Yes |
| Recyclable | Y |
| Min. temp. (Celsius) | -40 °C |
| Max. temp. (Celsius) | 70 °C |

## Packaging

| | |
|---|---|
| Packaging | Cardboard box |
| Packaging length | 605 mm |
| Packaging width | 410 mm |
| Packaging height | 550 mm |
| Packaging volume | 0,136 m³ |
| Net Weight (units without packaging) | 8,70 kg |
| Packaging weight (units with packaging) | 9,80 kg |
| Palletype | UK ONE WAY |
| Pallet height | 1243 mm |
| Units per bag | 2400 |
| Cartons per layer | 5 |
| Layers per pallet | 2 |
| Cartons per pallet | 10 |
| Total units per pallet | 24000 |

Faerch A/S
Rasmus Færchs Vej 1
DK-7500 Holstebro
Tel. +45 99 10 10 10
Fax. +45 99 10 10 99
faerch@faerch.com
www.faerch.com

**Food contact declarations**

Relevant documentation is available for download on our website.

**Packaging**

*Carton*

- Items are packed in a plastic liner, (recycling code: LDPE 4) into a carton box (recycling code: PAP 20) and placed on a pallet. One way disposable wooden pallets are recycling code: FOR 50. Plastic or EUR pallets to be circulated.
- The cartons on the pallet are shrink wrapped (recycling code: LDPE 4).
- Each liner is provided with date of production for traceability.
- Cartons are labelled with the item code and production order number for traceability.

*Scantainer*

- Items are packed in a liner (recycling code: LDPE 4) in the scantainer (recycling code: PAP 20).
- Interleaving sheets in paperboard (recycling code: 21) or polypropylene plastic (recycling code: PP 5 ) can be used.
- Scantainers are shrink wrapped (recycling code: LDPE 4). The scantainer does not overhang the pallet.
- Each liner is provided with date of production for traceability.
- Each scantainer is labelled with the item code and production order number for traceability.

*Metal cage*

- Items are packed in a liner (recycling code: LDPE 4) in the metal cage. Metal cages must be returned for reuse.
- Interleaving sheets in paperboard (recycling code: 21) or polypropylene plastic (recycling code: PP 5 ) can be used.
- Metal cages are shrink wrapped (recycling code: LDPE 4). The size of the metal cage is max. 1216 x 806 x 1285 mm.
- Each liner is provided with date of production for traceability.
- Each metal cage is labelled with the item code and production order number for traceability.

## Recycled Raw Materials

The majority of Faerch APET, CPET, MAPET® and MAPET® II packaging contains recycled PET (rPET). All raw materials used in the manufacture of Faerch products are certified suitable for direct food contact.

## Recycled Content

Faerch is committed to full transparency when communicating recycled content, and has established third party auditing recycled PET (rPET) content on an annual basis. As recycled PET (rPET) content can fluctuate year to year, please contact your Compliance or Sales contact for the most up to date recycled PET (rPET) content figure for this recipe. For more information on why recycled content fluctuates year on year, or the ISO definitions of recycled PET (rPET), post-consumer content, and pre-consumer content, please see our documents “Recycled PET in Food Packaging” & “Recycled Content Declaration”

## Storage

Items must be stored between 5 – 40°C and away from direct sunlight. Products containing carton/paper must be stored between 45-55% relative humidity. All items can be stored up to 5 years.