



**FRIFRI TOUCH 411 ELECTRIC FREE-STANDING SINGLE TANK FRYER**  
**- 1 BASKET - W 400 MM - 18.0 KW - THREE PHASE**

**MODEL: TL411M31G0**



Touch

For those who run the busiest professional kitchens and refuse to compromise on quality, a Touch 411 is your newest kitchen assistant, helping you to deliver quality results every time.

A/A FILE NUMBER:

ITEM NUMBER:

#### PRODUCT FEATURES

- 24 one-touch icon-driven menu items, meaning regardless of the operator, at one touch deliver precisely the same results every time.
- Are there more fries than last time? Adaptive cooking automatically adjusts the cooking times to suit your batch size ensuring you never serve under-cooked food.
- The 4.3" QPad is intuitive, easy to use, and provides the wider functionality that only a touch screen can deliver.
- Easy-View Traffic Light Status — ColourCue. Great for busy and noisy kitchens, ColourCue shows you the status of your fryer at a glance: red - attention required such as unloading; amber – pre-heating; green - ready to fry.
- Understand your energy usage. Customise the eco settings by temperature to suit your operation. View where you can make savings with a detailed analysis of the fryer's energy usage over the last 8 hours, 24 hours, 7 days, and 28 days.
- Keeping your oil in peak condition! FriFri Oil Assistant and optional xFri© to easily monitor the condition of oil with the onscreen oil status. When prompted filter the oil even while it's still hot, mid-service if necessary, and resume frying in under five minutes. It is so quick and easy that there is no excuse not to!
- Raising food to the next level. Perfect for kitchens where you don't have time for constant supervision, the optional LiftFri© automatic basket lifting system lifts food at the end of the cycle to prevent overcooking.
- Pressed tank for strength and durability. Radiused corners for easy cleaning. Hinged elements with two tilt positions for draining and



# FRIFRI TOUCH 411 ELECTRIC FREE-STANDING SINGLE TANK FRYER - 1 BASKET - W 400 MM - 18.0 KW - THREE PHASE

## MODEL: TL411M31G0

### WEIGHTS & DIMENSIONS

|        |           |
|--------|-----------|
| Width  | 397.5 mil |
| Depth  | 650 mil   |
| Height | 994 mil   |
| Weight | 69 kg     |

### SHIPPING DETAILS

|                            |                         |
|----------------------------|-------------------------|
| Ship Width                 | 79 cm                   |
| Ship Depth                 | 52 cm                   |
| Ship Height                | 113 cm                  |
| Ship Weight                | 69.41 kg                |
| Number of Shipment Parcels | 1                       |
| Ship Method                | LTL Common Carrier      |
| Shipping Package Type      | Pieces                  |
| Shipping Origin Zip Code   | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product         | No                      |

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

|                               |                              |                                      |                  |
|-------------------------------|------------------------------|--------------------------------------|------------------|
| Primary Energy Type           | Electric                     | Electrical Phase                     | 3-Phase          |
| Electrical Amps Per Conductor | L1=26.1; L2=26.1;<br>L3=26.1 | Electrical Plug Type                 | Hardwired        |
| Electrical Total Amperage     | 78.3 A                       | Number of Electrical Plugs           | Not Applicable   |
| Electrical Volts              | 400V                         | Electrical Connection Type           | Direct Hardwired |
| Electrical Total Wattage      | 18000 W                      | Number of Electrical Conductor Wires | 1                |
| Electrical Kilowatts          | 18 kW                        | Electrical Remarks                   | Three            |

### ADDITIONAL SPECIFICATIONS

|                                   |                                                                |                             |            |
|-----------------------------------|----------------------------------------------------------------|-----------------------------|------------|
| Auto Oil Top-Off                  | No                                                             | Integrated Filtration       | Yes        |
| Basket Lift Type                  | Optional                                                       | Number of Baskets           | 1          |
| Construction Remarks              | Stainless Steel Grade<br>304                                   | Number of Vats (batteries)  | 1          |
| Control Type                      | Touchscreen                                                    | Total Oil Capacity (volume) | 20.5 l     |
| Filter Media Type (if applicable) | 2-Stage: Fine Tissue Fil-<br>ter and Stainless Steel<br>Filter | Oil Reclamation             | No         |
| Food Production Rate              | 44kg fries - 7mm<br>[frozen]                                   | Oil Temperature Control     | Electronic |
| Fryer Type                        | Open Pot                                                       | Pumped Oil Filtration       | Optional   |
|                                   |                                                                | Split Pot                   | No         |
|                                   |                                                                | Temperature Maximum         | 190 °C     |
|                                   |                                                                | Temperature Minimum         | 40 °C      |
|                                   |                                                                | Vat 1 Oil Capacity (volume) | 20.5 l     |

Frifri reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
October 30, 2024





FRIFRI TOUCH 411 ELECTRIC FREE-STANDING SINGLE TANK FRYER  
- 1 BASKET - W 400 MM - 18.0 KW - THREE PHASE

MODEL: TL411M31G0

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

