



**FRIFRI TOUCH 622 ELECTRIC FREE-STANDING TWIN TANK FRYER -  
2 BASKETS - W 600 MM - 2 X 11.4 KW - THREE PHASE**

**MODEL: TL622L32G0**



Touch

**PRODUCT OPTIONS AND ACCESSORIES**

- FZ301093 SMALL BASKET FOR 311 - COMPLETE WITH HANDLE

**PRODUCT FEATURES**

- 24 one-touch icon-driven menu items, meaning regardless of the operator, at one touch deliver precisely the same results every time.
- Are there more fries than last time? Adaptive cooking automatically adjusts the cooking times to suit your batch size ensuring you never serve under-cooked food.
- The 4.3" QPad is intuitive, easy to use, and provides the wider functionality that only a touch screen can deliver.
- Easy-View Traffic Light Status — ColourCue. Great for busy and noisy kitchens, ColourCue shows you the status of your fryer at a glance: red - attention required such as unloading; amber – pre-heating; green - ready to fry.
- Understand your energy usage. Customise the eco settings by temperature to suit your operation. View where you can make savings with a detailed analysis of the fryer's energy usage over the last 8 hours, 24 hours, 7 days, and 28 days.
- Keeping your oil in peak condition! FriFri Oil Assistant and optional xFri© to easily monitor the condition of oil with the onscreen oil status. When prompted filter the oil even while it's still hot, mid-service if necessary, and resume frying in under five minutes. It is so quick and easy that there is no excuse not to!
- Raising food to the next level. Perfect for kitchens where you don't have time for constant supervision, the optional LiftFri© automatic basket lifting system lifts food at the end of the cycle to prevent overcooking.
- Pressed tank for strength and durability. Radiused corners for easy cleaning. Hinged elements with two tilt positions for draining and

A/A FILE NUMBER:

ITEM NUMBER:



# FRIFRI TOUCH 622 ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 600 MM - 2 X 11.4 KW - THREE PHASE

## MODEL: TL622L32G0

### WEIGHTS & DIMENSIONS

|        |         |
|--------|---------|
| Width  | 592 mil |
| Depth  | 650 mil |
| Height | 994 mil |
| Weight | 98.5 kg |

### SHIPPING DETAILS

|                            |                         |
|----------------------------|-------------------------|
| Ship Width                 | 79 cm                   |
| Ship Depth                 | 72 cm                   |
| Ship Height                | 113 cm                  |
| Ship Weight                | 108.35 kg               |
| Number of Shipment Parcels | 1                       |
| Ship Method                | LTL Common Carrier      |
| Shipping Package Type      | Pieces                  |
| Shipping Origin Zip Code   | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product         | No                      |

### PRODUCT CERTIFICATIONS



### ENERGY SPECS

|                               |                                       |                                      |                  |
|-------------------------------|---------------------------------------|--------------------------------------|------------------|
| Primary Energy Type           | Electric                              | Electrical Phase                     | 3-Phase          |
| Electrical Amps Per Conductor | L1=2 x 16.5; L2=2 x 16.5; L3=2 x 16.5 | Electrical Plug Type                 | Hardwired        |
| Electrical Total Amperage     | 99 A                                  | Number of Electrical Plugs           | Not Applicable   |
| Electrical Volts              | 400V                                  | Electrical Connection Type           | Direct Hardwired |
| Electrical Total Wattage      | 22800 W                               | Number of Electrical Conductor Wires | 2                |
| Electrical Kilowatts          | 22.8 kW                               | Electrical Remarks                   | Three            |

### ADDITIONAL SPECIFICATIONS

|                                   |                                                        |                             |            |
|-----------------------------------|--------------------------------------------------------|-----------------------------|------------|
| Auto Oil Top-Off                  | No                                                     | Number of Baskets           | 2          |
| Basket Lift Type                  | Optional                                               | Number of Vats (batteries)  | 2          |
| Construction Remarks              | Stainless Steel Grade 304                              | Total Oil Capacity (volume) | 29 l       |
| Control Type                      | Touchscreen                                            | Oil Reclamation             | No         |
| Filter Media Type (if applicable) | 2-Stage: Fine Tissue Filter and Stainless Steel Filter | Oil Temperature Control     | Electronic |
| Food Production Rate              | 2 x 28.5kg fries - 7mm [frozen]                        | Pumped Oil Filtration       | Optional   |
| Fryer Type                        | Open Pot                                               | Split Pot                   | Yes        |
| Integrated Filtration             | Yes                                                    | Temperature Maximum         | 190 °C     |
|                                   |                                                        | Temperature Minimum         | 40 °C      |
|                                   |                                                        | Vat 1 Oil Capacity (volume) | 14.5 l     |
|                                   |                                                        | Vat 2 Oil Capacity (volume) | 14.5 l     |

Frifri reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
October 30, 2024








FRIFRI TOUCH 622 ELECTRIC FREE-STANDING TWIN TANK FRYER -  
2 BASKETS - W 600 MM - 2 X 11.4 KW - THREE PHASE

**MODEL: TL622L32G0**

#### BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

#### TECHNICAL DRAWING



Frifri reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated  
October 30, 2024

