



**FRIFRI PRECISION 422 ELECTRIC FREE-STANDING TWIN TANK
FRYER - 2 BASKETS - W 400 MM - 2 X 7.5 KW - THREE PHASE**

MODEL: PL422L31G0



Precision

For the chef who wants superb temperature control for consistently excellent results, a free standing Precision 422 is the fryer of choice.

A/A FILE NUMBER:

ITEM NUMBER:

PRODUCT FEATURES

- Electronic temperature control and powerful elements maintains oil to within +/- 1 °C of the temperature selected, reducing oil usage and ensuring your food always has that all-important crunch.
- With one cooking programme, perfect for when you want to cook the same product time after time, to the same exacting standards.
- Digital timer displays the count down, with a buzzer sounding at the end of the cook cycle.
- Temperature view shows current oil temperature, enabling you to make an informed decision as to when to start cooking.
- Are there more fries than last time? Adaptive cooking automatically adjusts the cooking times to suit your batch size ensuring you never serve undercooked food.
- Keeping your oil in peak condition! Optional xFri© filters the oil at the push of a button and returns oil to the tank. Filter the oil safely, even while it's still hot, mid service if necessary, and resume frying in minutes – so easy there is no excuse not to!
- Raising food to the next level.



FRIFRI PRECISION 422 ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 400 MM - 2 X 7.5 KW - THREE PHASE

MODEL: PL422L31G0

WEIGHTS & DIMENSIONS

Width	397.5 mil
Depth	650 mil
Height	994 mil
Weight	79 kg

SHIPPING DETAILS

Ship Width	79 cm
Ship Depth	52 cm
Ship Height	113 cm
Ship Weight	81.84 kg
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Amps Per Conductor	L1=31.9; L2=31.9; L3=31.9
Electrical Total Amperage	95.7 A
Electrical Volts	400V
Electrical Total Wattage	22000 W
Electrical Kilowatts	22 kW

Electrical Phase	3-Phase
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Electrical Remarks	Three





**FRIFRI PRECISION 422 ELECTRIC FREE-STANDING TWIN TANK
FRYER - 2 BASKETS - W 400 MM - 2 X 7.5 KW - THREE PHASE**

MODEL: PL422L31G0

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Baskets	2
Basket Lift Type	Optional	Number of Vats (batteries)	2
Construction Remarks	Stainless Steel Grade 304	Total Oil Capacity (volume)	18 l
Control Type	Digital Touch Pad	Oil Reclamation	No
Filter Media Type (if applicable)	2-Stage: Fine Tissue Filter and Stainless Steel Filter	Oil Temperature Control	Electronic
Food Production Rate	2 x 18kg fries - 7mm [frozen]	Pumped Oil Filtration	Optional
Fryer Type	Open Pot	Split Pot	Yes
Integrated Filtration	Yes	Temperature Maximum	190 °C
		Temperature Minimum	60 °C
		Vat 1 Oil Capacity (volume)	9 l
		Vat 2 Oil Capacity (volume)	9 l

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.








FRIFRI PRECISION 422 ELECTRIC FREE-STANDING TWIN TANK
FRYER - 2 BASKETS - W 400 MM - 2 X 7.5 KW - THREE PHASE

MODEL: PL422L31G0

TECHNICAL DRAWING



Frifri reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024

