FRIFRI PRECISION 422 ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 400 MM - 2 X 11.0 KW - THREE PHASE

MODEL: PL422H32G0

Precision

For the chef who wants superb temperature control for consistently excellent results, a free standing Precision 422 is the fryer of choice.

AIA FILE NUMBER:

ITEM NUMBER:

PRODUCT FEATURES

- Electronic temperature control and powerful elements maintains oil to within +/- 1 °C of the temperature selected, reducing oil usage and ensuing your food always has that all-important crunch.
- With one cooking programme, perfect for when you want to cook the same product time after time, to the same exacting standards.
- Digital timer displays the count down, with a buzzer sounding at the end of the cook cycle.
- Temperature view shows current oil temperature, enabling you to make an informed decision as to when to start cooking.
- Are there more fries than last time? Adaptive cooking automatically adjusts the cooking times to suit your batch size ensuring you never serve undercooked food.
- Keeping your oil in peak condition! Optional xFri© filters the oil at the push of a button and returns oil to the tank. Filter the oil safely, even while it's still hot, mid service if necessary, and resume frying in minutes – so easy there is no excuse not to!
- Raising food to the next level.

FRIFRI PRECISION 422 ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 400 MM - 2 X 11.0 KW - THREE PHASE

MODEL: PL422H32G0

WEIGHTS & DIMENSIONS

Width	397.5 mil
Depth	650 mil
Height	994 mil
Weight	79 kg

SHIPPING DETAILS

Ship Width	79 cm
Ship Depth	52 cm
Ship Height	113 cm
Ship Weight	81.84 kg
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS

Made in UK UK CA IPX4

ENERGY SPECS

Primary Energy Type	Electric
Electrical Amps Per Conductor	L1=2 x 15.9; L2=2 x 15.9; L3=2 x 15.9
Electrical Total Amperage	95.4 A
Electrical Volts	400V
Electrical Total Wattage	22000 W
Electrical Kilowatts	22 kW
Electrical Phase	3-Phase
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	2
Electrical Remarks	Three

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No
Basket Lift Type	Optional
Construction Remarks	Stainless Steel Grade 304
Control Type	Digital Touch Pad
Filter Media Type (if applicable)	2-Stage: Fine Tissue Filter and Stainless Steel Filter
Food Production Rate	2 x 22kg fries - 7mm [frozen]
Fryer Type	Open Pot
Integrated Filtration	Yes
Number of Baskets	2
Number of Vats (batteries)	2
Total Oil Capacity (volume)	18 l
Oil Reclamation	No
Oil Temperature Control	Electronic
Pumped Oil Filtration	Optional
Split Pot	Yes
Temperature Maximum	190 °C
Temperature Minimum	60 °C
Vat 1 Oil Capacity (volume)	9 l
Vat 2 Oil Capacity (volume)	9 l

FriFri reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024

FRIFRI PRECISION 422 ELECTRIC FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 400 MM - 2 X 11.0 KW - THREE PHASE

MODEL: PL422H32G0

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

FriFri reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024